## Table 2A N001 Indoor Gamma (FPIC) Field Data Summary Niagara Falls Boulevard Radiological Site 9524 Niagara Falls Boulevard (Property N001), Niagara Falls, New York

	Transects														
			A	В	C	D	E	F	G	Н	I	J	K	L	M
													NM		
	26	Contact	ND (	ND.	ND.	ND (	ND (	ND (	ND 4	ND (	ND.	ND 4	8 - 10		
		Waist	NM 1 2	NM 1 - 3	NM 2 - 4	NM 1 - 2	NM 2 - 4	NM 2 - 4	NM 1 2	NM 1 - 3	NM 1 - 3	NM 1 - 2	9 - 12	1 - 2	2 - 4
	25	Contact Waist	1 - 3 1 - 2	2 - 4	2 - 4	2 - 3	1 - 3	1 - 3	1 - 3 1 - 2	1 - 3 2 - 5	1 - 3	2 - 3	1 - 2 1 - 2	1 - 2	1 - 3
		Contact	2 - 4	1 - 2	1 - 3	2 - 3	1 - 3	1 - 3	1 - 3	1 - 2	1 - 3	1 - 2	3 - 5	2 - 4	1 - 3
	24	Waist	2 - 4	2 - 3	1 - 3	1 - 2	1 - 2	1 - 2	1 - 2	1 - 3	1 - 3	1 - 2	1 - 4	4 - 7	1 - 2
	23	Contact	8 - 10	6 - 9	7 - 9	6 - 10	1 - 3	1 - 5	3 - 4	3 - 4	1 - 2	1 - 4	6 - 8	1 - 2	6 - 9
	23	Waist	8 - 10	7 - 9	5 - 8	7 - 9	1 - 4	1 - 2	4 - 5	1 - 2	1 - 2	1 - 2	5 - 8	1 - 2	7 - 9
	22	Contact	6 - 8	N/A	6 - 8	7 - 9	1 - 3	1 - 5	1 - 2	1 - 2	1 - 3	1 - 2	6 - 9	1 - 2	7 - 9
		Waist	7 - 9	)	5 - 8	8 - 10	1 - 5	1 - 4	1 - 2	4 - 6	1 - 3	1 - 2	6 - 9	1 - 3	7 - 9
	21	Contact	6 - 9	I N/A	5 - 7	8 - 10	1 - 3	1 - 4	2 - 3	1 - 2	1 - 4	1 - 3	7 - 10	1 - 2	8 - 10
	20 19 18	Waist	7 - 10	N/A N/A N/A	5 - 8 7 - 9	6 - 9 7 - 10	1 - 3	1 - 3 1 - 3	3 - 5	4 - 6	1 - 2	1 - 4	8 - 10	1 - 3	7 - 10 7 - 9
		Contact Waist	6 - 8 8 - 10		7 - 9	7 - 10	1 - 2 1 - 3	1 - 3	1 - 2 3 - 4	1 - 2 2 - 4	1 - 2 1 - 3	1 - 4 1 - 4	8 - 10 7 - 10	1 - 3 1 - 2	9 - 11
		Contact	8 - 10		6 - 9	5 - 7	1 - 2	1 - 3	4 - 6	2 - 3	1 - 3	1 - 3	6 - 8	1 - 2	8 - 11
		Waist	7 - 9		7 - 9	7 - 9	1 - 3	1 - 6	3 - 4	2 - 4	1 - 2	1 - 2	6 - 8	1 - 2	9 - 11
		Contact	7 - 9		6 - 9	6 - 8	1 - 5	1 - 3	2 - 5	1 - 2	1 - 3	1 - 2	6 - 8	1 - 2	7 - 9
		Waist	7 - 10		6 - 8	7 - 10	1 - 5	1 - 4	1 - 4	3 - 5	1 - 4	1 - 2	7 - 9	1 - 3	9 - 11
	17 16 15	Contact	8 - 10	N/A N/A	5 - 8	5 - 8	1 - 2	1 - 3	1 - 3	1 - 3	1 - 2	1 - 3	7 - 9	1 - 3	8 - 10
		Waist	7 - 10		6 - 9	6 - 9	1 - 5	1 - 3	2 - 5	4 - 5	1 - 3	1 - 2	6 - 8	1 - 3	9 - 11
		Contact	7 - 8		6 - 8	7 - 10	1 - 4	1 - 3	1 - 4	1 - 3	1 - 2	1 - 3	6 - 8	1 - 2	6-9
		Waist	8 - 10		7 - 9	7 - 10 6 - 9	1 - 3	1 - 4 1 - 3	3 - 6	6 - 8 2 - 4	1 - 3 1 - 3	1 - 2 1 - 2	6 - 8	1 - 2	8 - 10
		Contact Waist	8 - 10 7 - 10	N/A	6 - 9 6 - 9	7 - 9	1 - 3 1 - 3	1 - 5	1 - 3 3 - 5	3 - 5	1 - 3	1 - 2	9 - 10 8 - 11	NA	6 - 8 8 - 10
	14 13 12	Contact	7 - 10	N/A N/A N/A	6 - 8	5 - 8	1 - 3	1 - 3	1 - 3	2 - 4	1 - 4	1 - 3	7 - 10	1 - 3	8 - 10
		Waist	8 - 10		7 - 10	5 - 7	1 - 6	1 - 4	14 - 15	4 - 6	1 - 3	1 - 2	8 - 10	1 - 2	6 - 9
Rows		Contact	6 - 8		5 - 8	6 - 8	1 - 3	1 - 4	2 - 4	1 - 2	1 - 2	1 - 2	8 - 10	1 - 2	7 - 9
		Waist	7 - 10		8 - 10	6 - 9	1 - 3	1 - 3	2 - 4	3 - 5	1 - 2	1 - 2	7 - 10	1 - 2	8 - 10
		Contact	6 - 8		6 - 9	7 - 9	1 - 5	1 - 3	1 - 3	1 - 3	1 - 2	1 - 3	8 - 10	1 - 4	8 - 10
		Waist	5 - 8		6 - 10	8 - 10	1 - 3	1 - 3	1 - 2	3 - 6	1 - 4	1 - 4	6 - 8	1 - 3	8 - 10
	10	Contact	7 - 10	6 - 8 N/A	6 - 9	8 - 10	1 - 4	1 - 3	2 - 5	4 - 6	1 - 4	1 - 4	7 - 9	1 - 4	8 - 10
		Waist Contact	7 - 8		5 - 10 5 - 10	5 - 9 7 - 9	1 - 4	1 - 3 1 - 3	3 - 4 1 - 4	3 - 5 2 - 4	1 - 4 1 - 2	1 - 3	6 - 8 6 - 8	1 - 5 1 - 2	6 - 9 6 - 9
		Waist	7 - 10	N/A	6 - 10	5 - 8	1 - 3	2 - 4	2 - 4	3 - 5	1 - 2	1 - 2	7 - 9	1 - 2	9 - 11
	09	Contact	7 - 9		6 - 9	6-9	1 - 2	1 - 3	1 - 3	2 - 4	1 - 3	1 - 3	6-9	2 - 5	9 - 11
		Waist	6 - 8	N/A	7 - 9	7 - 9	1 - 2	2 - 6	1 - 3	4 - 6	1 - 3	1 - 2	5 - 8	3 - 5	8 - 11
		Contact	5 - 8	N/A	6 - 10	5 - 8	1 - 3	1 - 3	1 - 4	1 - 2	1 - 5	1 - 3	6 - 8	1 - 3	7 - 9
	07	Waist	7 - 10	IV/A	6 - 9	6 - 7	1 - 2	1 - 5	1 - 3	4 - 5	1 - 3	1 - 4	7 - 10	2 - 5	8 - 10
		Contact	8 - 10	N/A	6 - 10	6 - 9	1 - 4	1 - 3	1 - 3	4 - 6	1 - 2	1 - 3	7 - 9	1 - 2	8 - 10
	06	Waist	7 - 10	N/A	8 - 9	7 - 9	1 - 2	2 -4	3 - 8	5 - 6	1 - 2	1 - 3	8 - 10	1 - 4	7 - 11
		Contact Waist	6 - 8 8 - 10		9 - 10 8 - 9	7 - 10 5 - 9	1 - 4 1 - 3	1 - 3 1 - 3	1 - 3 1 - 4	2 - 4 5 - 7	1 - 3 1 - 2	1 - 2 1 - 2	6 - 9 6 - 8	1 - 3 1 - 2	7 - 9 8- 10
		Contact	6-9		6 - 8	7 - 9	1 - 4	1 - 3	1 - 3	4 - 7	1 - 3	1 - 2	7 - 9	6 - 8	8 - 12
	05	Waist	6 - 8	N/A	6 - 8	8 - 10	1 - 3	2 - 7	1 - 4	1 - 4	1 - 3	1 - 2	7 - 10	8 - 11	10 - 15
	04	Contact				8 - 13	1 - 2	3 - 5	1 - 2	6 - 8	7 - 9	6 - 8	7 - 10	7 - 9	7 - 14
		Waist				15 - 17	2 - 4	1 - 2	2 - 5	8 - 10	9 - 11	10 - 13	8 - 10	9 - 11	7 - 12
		Contact				9 - 12	3 - 5	1 - 3	1 - 3	7 - 10	8 - 10	7 - 12	5 - 9	5 - 9	7 - 9
	02	Waist				14 - 19	1 - 3	1 - 3	1 - 3	8 - 12	8 - 13	8 - 12	11 - 12	9 - 11	9 - 12
		Contact					1 - 2	1 - 3	1 - 2	6 - 8	7 - 9	7 - 9	5 - 8	5 - 8	
	01	Waist					2 - 4	1 - 2	2 - 3	6 - 9 7 - 9	7 - 9	8 - 10	8 - 10	9 - 10 7 - 8	
		Contact Waist					2 - 4 3 - 5	2 - 4 3 - 4	1 - 3 2 - 4	7 - 9 7 - 9	8 - 10 9 - 11	8 - 12 9 - 12	8 - 10 8 - 11	7 - 8 8 - 9	
	0.7	Contact					1 - 2	4 - 6	4 - 6	6 - 10	6 - 10	10 - 14		NM	
	00	Waist					1 - 3	3 - 5	3 - 5	9 - 12	8 - 12	6 -12	NA		
	-	•	A	В	C	D	E	F	G	Н	I	J	K	L	M

## Notes:

All measurements were collected using Fluke Pressurized Ionization Chamber (FPIC) Model 451P.

All FPIC gamma measurement are in microroentgen per hour ( $\mu R/hr$ ).

All indoor measurements were collected within a 10-feet by 10-feet grid.

Background FPIC readings = Waist:  $7 - 10 \mu R/hr$ , Contact:  $9 - 10 \mu R/hr$ .

NM - Locations not measured and less than 10-feet by 10-feet.

NA - Locations with no access.

- Concrete wall of building

- Outdoor areas.